Applicant: Lars Hellman Attorney's Docket No.: 10223-006001

Serial No.: 09/401,636

Filed: September 22, 1999

Page : 2 of 7

## Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application.

## Listing of Claims:

## 1-24. (Cancelled)

- 25. (Currently amended) An immunogenic polypeptide, consisting essentially of comprising a self IgE CH3 domain and one or more non-self IgE domains, wherein at least one of said non-self IgE domains comprises consists of an IgE sequence present in a non-placental mammal, wherein said immunogenic polypeptide is effective to induce an anti-self IgE response in a mammal, and wherein said immunogenic polypeptide lacks a CH1 domain of IgE.
- 26. (Previously presented) The immunogenic polypeptide of claim 25, wherein said mammal is a human.
- 27. (Currently amended) The immunogenic polypeptide of claim 26, wherein the sequence of said immunogenic polypeptide is as set forth in SEQ ID NO:4 SEQ ID NO:8.
- 28. (Previously presented) The immunogenic polypeptide of claim 25, wherein said non-placental mammal is selected from the group consisting of opossum, platypus, koala, kangaroo, wallaby, and wombat.
- 29. (Previously presented) The immunogenic polypeptide of claim 25, wherein said polypeptide is capable of dimerizing to form a soluble immunogenic dimer effective to induce said anti-self IgE response in said mammal.
- 30. (Previously presented) The immunogenic polypeptide of claim 25, wherein one of said non-self IgE domains is an IgE CH2 domain, wherein one of said non-self IgE domains is an

Applicant: Lars Hellman Attorney's Docket No.: 10223-006001

Serial No.: 09/401,636

Filed: September 22, 1999

Page : 3 of 7

IgE CH4 domain, and wherein said self IgE CH3 domain is located between said IgE CH2 domain and said IgE CH4 domain.

- 31. (Previously presented) The immunogenic polypeptide of claim 25, wherein one of said non-self IgE domains is an IgE CH2 domain.
- 32. (Previously presented) The immunogenic polypeptide of claim 25, wherein one of said non-self IgE domains is an IgE CH4 domain.
- 33. (Currently amended) An immunogenic polypeptide, consisting essentially of comprising one or more non-self IgE domains, and at least an N-terminal half of a self IgE CH3 domain, wherein at least one of said non-self IgE domains comprises consists of an IgE sequence present in a non-placental mammal, and wherein said immunogenic polypeptide is effective to induce an anti-self IgE response in a mammal.
- 34. (Previously presented) The immunogenic polypeptide of claim 33, wherein said mammal is a human.
- 35. (Currently amended) The immunogenic polypeptide of claim 34, wherein the sequence of said immunogenic polypeptide is as set forth in SEQ ID NO:4 SEQ ID NO:8.
- 36. (Previously presented) The immunogenic polypeptide of claim 33, wherein said non-placental mammal is selected from the group consisting of opossum, platypus, koala, kangaroo, wallaby, and wombat.
- 37. (Previously presented) The immunogenic polypeptide of claim 33, wherein said polypeptide is capable of dimerizing to form a soluble immunogenic dime effective to induce said anti-self IgE response in said mammal.

Applicant: Lars Hellman Attorney's Docket No.: 10223-006001

Serial No.: 09/401,636

Filed: September 22, 1999

Page : 4 of 7

38. (Previously presented) The immunogenic polypeptide of claim 33, wherein one of said non-self IgE domains is an IgE CH2 domain, wherein one of said non-self IgE domains is an IgE CH4 domain, and wherein said at least an N-terminal half of a self IgE CH3 domain is located between said IgE CH2 domain and said IgE CH4 domain.

- 39. (Previously presented) The immunogenic polypeptide of claim 33, wherein one of said non-self IgE domains is an IgE CH2 domain.
- 40. (Previously presented) The immunogenic polypeptide of claim 33, wherein one of said non-self IgE domains is an IgE CH4 domain.

41-54. (Cancelled)